

## **EXHIBIT “D”**



US00D445741S

(12) **United States Design Patent** (10) **Patent No.:** US D445,741 S  
**Carlson** (45) **Date of Patent:** \*\* Jul. 31, 2001

(54) **CLUTCH QUADRANT**(75) Inventor: **Andrew D. Carlson**, Boca Raton, FL (US)(73) Assignee: **Steeda**, Pompano Beach, FL (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/117,301**(22) Filed: **Jan. 20, 2000**(51) LOC (7) Cl. .... **12-16**(52) U.S. Cl. .... **D12/179**

(58) Field of Search ..... D12/179, 93, 196, D12/98; 74/502.2, 489, 475

(56) **References Cited**

## U.S. PATENT DOCUMENTS

D. 392,608 \* 3/1998 Pingel et al. .... D12/179  
 D. 392,609 \* 3/1998 Pingel et al. .... D12/179

D. 422,253 \* 4/2000 Boyken ..... D12/179

\* cited by examiner

*Primary Examiner*—Melody N. Brown*(74) Attorney, Agent, or Firm*—McHale & Slavin

(57)

**CLAIM**

The ornamental design for a clutch quadrant, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of the clutch quadrant of the instant invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a back elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side perspective view thereof; and,

FIG. 8 is a right side perspective view thereof.


**1 Claim, 8 Drawing Sheets**

**U.S. Patent**

Jul. 31, 2001

Sheet 1 of 8

US D445,741 S




**Figure 1**

**U.S. Patent**

Jul. 31, 2001

Sheet 2 of 8

US D445,741 S




**Figure 2**

**U.S. Patent**

Jul. 31, 2001

Sheet 3 of 8

US D445,741 S




**Figure 3**

**U.S. Patent**

Jul. 31, 2001

Sheet 4 of 8

US D445,741 S




**Figure 4**

**U.S. Patent**

Jul. 31, 2001

Sheet 5 of 8

US D445,741 S




**Figure 5**

**U.S. Patent**

Jul. 31, 2001

Sheet 6 of 8

US D445,741 S




**Figure 6**

**U.S. Patent**

Jul. 31, 2001

Sheet 7 of 8

US D445,741 S




**Figure 7**

**U.S. Patent**

Jul. 31, 2001

Sheet 8 of 8

US D445,741 S



**Figure 8**